



"Hind Wallcare For walls that last longer and look flawless.  
Give your spaces the strength and elegance they deserve!"

---

[www.hindwallcare.com](http://www.hindwallcare.com)

# ABOUT US

Hind WallCare, the premier provider of wall care products. Our company was founded with the mission of providing top-of-the-line solutions for homeowners, builders, and contractors looking to transform and protect their walls. Whether you're looking to freshen up the look of your home, or protect your walls from damage, we have the right product for you. We only use high-quality, professional-grade ingredients in our wall care products, ensuring that you get the best results every time. We take pride in offering excellent customer service and are always available to answer any questions you may have about our products. We are continuously trying to improve our product line, and are always on the lookout for new technologies and advancements in the field.

"Thank you for choosing Hind Wall Care and we look forward to helping you care for your walls."



EXTERIOR  
EXTERIOR  
EXTERIOR  
EXTERIOR  
EXTERIOR



# PERFORMANCE EXTERIOR EMULSION

Hind Wallcare Performance Exterior Emulsion Paint is a modified acrylic emulsion paint known for its exceptional dirt pick-up resistance and all weather protection. This formulation ensures ultra-clean exterior walls while providing excellent resistance against algal growth.

## PRODUCT FEATURES :



**HIGH SHINE**



**WEATHER RESISTANCE**



**EXCELLENT OPACITY**



**WARRANTY**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> Multiple Shades
<b>Application Tools</b>	<b>:-</b> Brush, Roller, or Airless Spray
<b>Coverage</b>	<b>:-</b> 50-60 Per sq.ft/Lt**
<b>Drying Time</b>	<b>:-</b> 4-6 Hours
<b>Finishing</b>	<b>:-</b> Mid Sheen
<b>Packaging</b>	<b>:-</b> 20LT


Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# PERFORMANCE ULTRA EXTERIOR EMULSION

Hind Wallcare Performance Exterior Emulsion is modified acrylic emulsion paint known for its exceptional dirt pick-up resistance and all weather protection. This formulation ensure ultra-clean exterior walls while providing excellent resistance against algal growth.


## PRODUCT FEATURES :



**DUST RESISTANCE**



**WEATHER RESISTANCE**



**EXCELLENT OPACITY**



**WARRANTY**



## SYSTEM INFORMATION :

<b>Color Range</b>	:- Multiple Shades
<b>Application Tools</b>	:- Brush, Roller, or Airless Spray
<b>Coverage</b>	:- 50-60 Per sq.ft/Lt**
<b>Drying Time</b>	:- 4-6 Hours
<b>Finishing</b>	:- Mid Sheen
<b>Packaging</b>	:- 20LT

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# PERFORMANCE MAX EXTERIOR EMULSION

Hind Wallcare Performance Exterior Emulsion is a pure acrylic emulsion paint distinguished for its Color-Protect technology. It provides outstanding protection against color fading and features an excellent solar-reflectance index, contributing to surface temperature reduction.


## PRODUCT FEATURES :



**HIGH  
SHINE**



**WEATHER  
RESISTANCE**



**EXCELLENT  
OPACITY**



**WARRANTY**



## SYSTEM INFORMATION :

<b>Color Range</b>	: - Multiple Shades
<b>Application Tools</b>	: - Brush, Roller, or Airless Spray
<b>Coverage</b>	: - 50-60 Per sq.ft/Lt**
<b>Drying Time</b>	: - 4-6 Hours
<b>Finishing</b>	: - Mid Sheen
<b>Packaging</b>	: - 20LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# PERFORMANCE SMART EXTERIOR EMULSION

Hind Wallcare Performance Exterior Emulsion Water Thinnable Primer is designed to provide an exceptional whiteness and opacity, having a strong adhesion to exterior surfaces ensuring a flawless topcoat finish.

## PRODUCT FEATURES :




**HIGH  
SHINE**



**WEATHER  
RESISTANCE**



**EXCELLENT  
OPACITY**



**DUST  
RESISTANCE**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> Multiple Shades
<b>Application Tools</b>	<b>:-</b> Brush, Roller, or Airless Spray
<b>Coverage</b>	<b>:-</b> 50-60 Per sq.ft/Lt**
<b>Drying Time</b>	<b>:-</b> 4-6 Hours
<b>Finishing</b>	<b>:-</b> Mid Sheen
<b>Packaging</b>	<b>:-</b> 20LT

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# TEXTURES TEXTURES TEXTURES TEXTURES TEXTURES





# SCRATCH TEXTURE

Hind Wallcare ZedTex Scratch Texture is a synthetic groove finish based texture. It can be applied on surfaces like gypsum, plaster, concrete, masonry. It creates a decorative protection coating over the surface.

## PRODUCT FEATURES :



**LONG  
LASTING**



**PRIMER  
FREE**



**HIGHER  
COVERAGE**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> White
<b>Application Tools</b>	<b>:-</b> Trowel
<b>Coverage</b>	<b>:-</b> 0.23-0.27 sq.m/kg**
<b>Dilution</b>	<b>:-</b> 3% - 5% by water
<b>Drying Time</b>	<b>:-</b> Surface dry time 30 - 60 min
<b>Packaging</b>	<b>:-</b> 25KG

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# ROLLER TEXTURE

Hind Wallcare Roller Finish is a modified acrylic, water-based exterior product specially designed as an intermediate coating. It facilitates excellent adhesion of subsequent coats. It offers a unique textured pattern which has a distinctive appeal.



## PRODUCT FEATURES :



**LONG  
LASTING**



**PRIMER  
FREE**



**HIGHER  
COVERAGE**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> White
<b>Application Tools</b>	<b>:-</b> Honey Comb Roller
<b>Coverage</b>	<b>:-</b> 0.9 - 1.1 sq. m/kg**
<b>Dilution</b>	<b>:-</b> 3% - 5% by water
<b>Drying Time</b>	<b>:-</b> Surface dry time 30 - 60 min
<b>Packaging</b>	<b>:-</b> 25KG

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# DHOLPUR TEXTURE

Hind Wallcare Dholpur Finish is a textured finish composed of high quality durable acrylic modified resin specially designed as an intermediate coating. Dholpur Finish imparts a super premium look to the walls.

## PRODUCT FEATURES :



**LONG  
LASTING**



**PRIMER  
FREE**



**HIGHER  
COVERAGE**



## SYSTEM INFORMATION :


<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Trowel
<b>Coverage</b>	:- 0.9 - 1.1 sq. m/kg**
<b>Dilution</b>	:- 3% - 5% by water
<b>Drying Time</b>	:- Surface dry time 30 - 60 min
<b>Packaging</b>	:- 25KG



Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# MARBELLA TEXTURE

Hind Wallcare Marbella Texture is likely a decorative finish that adds a textured, luxurious feel to walls. Marbella textures are usually inspired by classic European styles and can give a sense of depth and elegance to a space, often used in modern or contemporary home designs.



## PRODUCT FEATURES :



**LONG  
LASTING**



**PRIMER  
FREE**



**HIGHER  
COVERAGE**



## SYSTEM INFORMATION :

- |                          |  |
|--------------------------|--|
| <b>Color Range</b>       | <b>:-</b> White                        |
| <b>Application Tools</b> | <b>:-</b> Grippen Cotton Roller        |
| <b>Coverage</b>          | <b>:-</b> 0.9 - 1.1 sq. m/kg**         |
| <b>Dilution</b>          | <b>:-</b> 3% - 5% by water             |
| <b>Drying Time</b>       | <b>:-</b> Surface dry time 30 - 60 min |
| <b>Packaging</b>         | <b>:-</b> 25KG                         |

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# BUBBLE TEXTURE

Hind Wallcare Bubble Texture is a highly durable modified acrylic resin based tough texture finish product specially formulated to give Bubble and Headcut Texture pattern by spraying on both Exterior and Interior wall surfaces.

## PRODUCT FEATURES :



**LONG  
LASTING**



**PRIMER  
FREE**



**HIGHER  
COVERAGE**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> White
<b>Application Tools</b>	<b>:-</b> Hopper Gun
<b>Coverage</b>	<b>:-</b> 0.9 - 1.1 sq. m/kg**
<b>Dilution</b>	<b>:-</b> 3% - 5% by water
<b>Drying Time</b>	<b>:-</b> Surface dry time 30 - 60 min
<b>Packaging</b>	<b>:-</b> 25KG



Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# INTERIOR

# INTERIOR

# INTERIOR

# INTERIOR



# RADIANCE INTERIOR EMULSION

Hind Wallcare Radiance Interior Emulsion Paint is crafted for interior walls. This high-quality, scrub-resistant interior emulsion ensures both exceptional performance and longevity for your interior surfaces.

## PRODUCT FEATURES :



**EXTRA  
SMOOTHNESS**



**EASY  
APPLICATION**



**STRONG  
ADHESION**



**DUST  
RESISTANCE**



## SYSTEM INFORMATION :

<b>Color Range</b>	:- Multiple Shades
<b>Application Tools</b>	:- Brush, Roller, or Airless Spray
<b>Coverage</b>	:- 180-200 Per sq. ft/LT**
<b>Drying Time</b>	:- 4-6 Hours
<b>Finishing</b>	:- Mid Sheen
<b>Packaging</b>	:- 20LT

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# MAGGIC INTERIOR EMULSION

Hind Wallcare Maggic Interior Emulsion is an acrylic-based emulsion. This paint not only delivers a smooth finish but also imparts vibrant and vivid colors, supported assurance of our brand.

## PRODUCT FEATURES :



**EXTRA WHITENESS**



**EASY APPLICATION**



**STRONG ADHESION**



**EXCELLENT OPACITY**



## SYSTEM INFORMATION :

- Color Range** :- Multiple Shades
- Application Tools** :- Brush, Roller, or Airless Spray
- Coverage** :- 180-200 Per sq. ft/Lt\*\*
- Drying Time** :- 4-6 Hours
- Finishing** :- Mid Sheen
- Packaging** :- 1LT, 4LT, 20LT



Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included.

Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included.



# AQUAPRO ACRYLIC DISTEMPER

Hind Wallcare Aquapro Distemper offers a rich and beautiful look to the walls. It is an acrylic-based distemper that boasts high washability with a diverse palette of color.

## PRODUCT FEATURES :



**EASY  
APPLICATION**




**SMOOTH &  
GLOSSY FINISH**



**OUTSTANDING  
WHITENESS**



**LONG  
LASTING**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> Multiple Shades
<b>Application Tools</b>	<b>:-</b> Brush, Roller, or Airless Spray
<b>Coverage</b>	<b>:-</b> 80-100 Per sq. ft/Kg**
<b>Drying Time</b>	<b>:-</b> 4-6 Hours
<b>Finishing</b>	<b>:-</b> Mid Sheen
<b>Packaging</b>	<b>:-</b> 5KG, 10KG, 20KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# AQUASILK ACRYLIC DISTEMPER

Hind Wallcare Aquasilk Distemper offers a rich and beautiful look to the walls. It is an acrylic-based distemper that boasts high washability with a diverse palette of colors.

## PRODUCT FEATURES :



**EASY  
APPLICATION**




**SMOOTH &  
GLOSSY FINISH**



**OUTSTANDING  
WHITENESS**



**LONG  
LASTING**



## SYSTEM INFORMATION :



<b>Color Range</b>	<b>:-</b> Multiple Shades
<b>Application Tools</b>	<b>:-</b> Brush, Roller, or Airless Spray
<b>Coverage</b>	<b>:-</b> 80-100 Per sq. ft/Kg**
<b>Drying Time</b>	<b>:-</b> 4-6 Hours
<b>Finishing</b>	<b>:-</b> Mid Sheen
<b>Packaging</b>	<b>:-</b> 1KG, 2KG, 5KG, 10KG, 20KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

ENAMEL PAINT  
ENAMEL PAINT  
ENAMEL PAINT  
ENAMEL PAINT



# MONOLITE GLOSS ENAMEL

Hind Wallcare Monolite Gloss Enamel Paint is a premium, high-gloss enamel that offers a smooth, durable, and vibrant finish for both interior and exterior surfaces. Ideal for walls, wood, and metal, this paint is formulated to deliver long-lasting protection and a shy, elegant appearance.

## PRODUCT FEATURES :

### High Gloss Finish

Provides a brilliant, reflective sheen that enhance the aesthetics of any surface.

### Smooth Application

Easy to apply, giving surfaces a flawless and uniform appearance.

### Durable

Offers resistance against wear and tear, ensuring your walls and surfaces stay protected.



## SYSTEM INFORMATION :

<b>Color Range</b>	: - Multiple Shades
<b>Application Tools</b>	: - Brush, Roller, or Airless Spray
<b>Coverage</b>	: - 180-200 Per sq. ft/Lt**
<b>Drying Time</b>	: - 4-6 Hours
<b>Finishing</b>	: - Mid Sheen
<b>Packaging</b>	: - 200ML, 500ML, 1LT, 4LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# PRIMER PRIMER PRIMER PRIMER



# ZED PRIME INTERIOR PRIMER

Hind Wallcare Zed Prime Interior Primer is water thinnable wall primer is an acrylic-based primer designed for interior walls. It provides outstanding opacity, robust adhesion and contribute to the creation of smooth and long-lasting all surfaces.


## PRODUCT FEATURES :



**ALKALI  
RESISTANCE**



**EASY  
APPLICATION**



**EXCELLENT  
ADHESION**



## SYSTEM INFORMATION :


<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Brush, Roller, or Airless Spray
<b>Coverage</b>	:- 180-200 Per sq. ft/Lt**
<b>Drying Time</b>	:- 4-6 Hours
<b>Finishing</b>	:- Mid Sheen
<b>Packaging</b>	:- 1LT, 4LT, 10LT, 20LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# ZED PRIME EXTERIOR PRIMER

Hind Wallcare Zed Prime Exterior Primer is your ultimate solution for interior surfaces, designed to enhance and protect your spaces with unparalleled durability and versatility. This advanced primer sets the foundation for a flawless finish, whether you're revitalizing the interior walls of your home or giving a fresh look to your exterior surfaces.

## PRODUCT FEATURES :



**EXCELLENT  
ADHESION**



**EXCELLENT  
OPACITY**



**EASY  
BRUISABILITY**



## SYSTEM INFORMATION :

<b>Color Range</b>	: -	White
<b>Application Tools</b>	: -	Brush, Roller, or Airless Spray
<b>Coverage</b>	: -	180-200 Per sq. ft/Lt**
<b>Drying Time</b>	: -	4-6 Hours
<b>Finishing</b>	: -	Mid Sheen
<b>Packaging</b>	: -	20LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# ZED PRIME ALL SURFACE PRIMER

Hind Wallcare Zed Prime Primer is your ultimate solution interior surfaces, designed to enhance and protect your spaces with unparalleled durability and versatility. This advanced primer sets the foundation for a flawless finish, whether you're revitalizing the interior walls of your home or giving a fresh look to your exterior surfaces.


## PRODUCT FEATURES :



**ALKALI  
RESISTANCE**



**EASY  
APPLICATION**



**EXCELLENT  
ADHESION**



## SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Brush, Roller, or Airless Spray
<b>Coverage</b>	:- 180-200 Per sq. ft/Lt**
<b>Drying Time</b>	:- 4-6 Hours
<b>Finishing</b>	:- Mid Sheen
<b>Packaging</b>	:- 20LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."



# INTERIOR WALL PRIMER

Hind Wallcare Interior Wall Primer is suitable for use as a primer or painting of any water-based wall finishes. This can be used on interior or exterior surfaces as a primer.




## PRODUCT FEATURES :



**INTERIOR**



**SOLVENT  
BASED**



## SYSTEM INFORMATION :

<b>Color Range</b>	: - White
<b>Application Tools</b>	: - Brush, Spray
<b>Coverage</b>	: - 180-200 Per sq. ft/Lt**
<b>Drying Time</b>	: - Surface dry time 30 min
<b>Finishing</b>	: - Matt & Smooth
<b>Packaging</b>	: - 200ML, 500ML, 1LT, 4LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# OIL-METAL PRIMER

# OIL-METAL PRIMER

# OIL-METAL PRIMER

# OIL-METAL PRIMER



# RED OXIDE PRIMER

Hind Wallcare Red Oxide Primer is based on synthetic resin and offers fair corrosion resistance. It can be applied by brushing or spraying and offers good opacity, coverage, flow and leveling.



## PRODUCT FEATURES :



**METAL  
SURFACE**



**RUST  
PROTECTION**



**SOLVENT  
BASED**



## SYSTEM INFORMATION :

- Color Range** :- Red
- Application Tools** :- Brush, Spray
- Coverage** :- 180-220 Per sq. ft/Lt\*\*
- Drying Time** :- Surface dry time 30 min
- Finishing** :- Matt
- Packaging** :- 200ML, 500ML, 1LT, 4LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# YELLOW PRIMER

Hind Wallcare Yellow Primer provides excellent rust protection to metal surfaces keeping them corrosion free and beautiful for longer time.



## PRODUCT FEATURES :



**METAL  
SURFACE**



**RUST  
PROTECTION**



**SOLVENT  
BASED**



## SYSTEM INFORMATION :

<b>Color Range</b>	: - Yellow
<b>Application Tools</b>	: - Brush, Spray
<b>Coverage</b>	: - 180-200 Per sq. ft/Lt**
<b>Drying Time</b>	: - Surface dry time 30 min
<b>Finishing</b>	: - Matt
<b>Packaging</b>	: - 200ML, 500ML, 1LT, 4LT

Note -  
\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# RANGE OF PUTTY RANGE OF PUTTY RANGE OF PUTTY RANGE OF PUTTY RANGE OF PUTTY



# ZEDCARE

## POLYMER MODIFIED CEMENT PUTTY(SF)

Hind Wallcare Cement Putty is a high-quality all finishing product designed to enhance the durability and aesthetics of our walls. With its advanced formulation, it provides a smooth and even eliminating imperfections and ensuring a perfect base for painting.

### PRODUCT FEATURES :




**STRONG  
BONDING**



**SMOOTH  
FINISH**



**SUPER  
WHITE**



**DURABLE**



### SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Putty Trowel
<b>Coverage</b>	:- 10 - 20 sq.ft./kg
<b>Drying Time</b>	:- Surface Dry 30 minute
<b>Finishing</b>	:- N/A
<b>Binder Type</b>	:- Cement and Polymer
<b>Packaging</b>	:- 20KG, 40KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# ZEDCARE

## POLYMER MODIFIED CEMENT PUTTY(SF)

Hind Wallcare Cement Putty is a high-quality all finishing product designed to enhance the durability and aesthetics of our walls. With its advanced formulation, it provides a smooth and even eliminating imperfections and ensuring a perfect base for painting.

### PRODUCT FEATURES :




**STRONG  
BONDING**



**SMOOTH  
FINISH**



**SUPER  
WHITE**



**DURABLE**



### SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Putty Trowel
<b>Coverage</b>	:- 10 - 20 sq.ft./kg
<b>Drying Time</b>	:- Surface Dry 30 minute
<b>Finishing</b>	:- N/A
<b>Binder Type</b>	:- Cement and Polymer
<b>Packaging</b>	:- 20KG,40KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# HINDPLAST ACRYLIC WALL PUTTY

Hind Wallcare Acrylic Wall Putty is a high-quality all finishing product designed to enhance the durability and aesthetics of our walls. With its advanced formulation, it provides a smooth and even eliminating imperfections and ensuring a perfect base for painting.

## PRODUCT FEATURES :



**HIGHER  
COVERAGE**



**SUPERIOR  
ADHESION**



**EASY  
APPLICATION**



## SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Putty Trowel
<b>Coverage</b>	:- 10 - 20 sq.ft./kg
<b>Drying Time</b>	:- Surface Dry 30 minute
<b>Finishing</b>	:- Mid Sheen
<b>Binder Type</b>	:- Cement and Polyme
<b>Packaging</b>	:- 25KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."



# HINDPLAST

## ACRYLIC POWDER PUTTY

Hind Wallcare Acrylic Wall Putty is a high-quality all finishing product designed to enhance the durability and aesthetics of our walls. With its advanced formulation, it provides a smooth and even eliminating imperfections and ensuring a perfect base for painting.

### PRODUCT FEATURES :



**HIGHER  
COVERAGE**



**SUPERIOR  
ADHESION**



**EASY  
APPLICATION**



### SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Putty Trowel
<b>Coverage</b>	:- 10 - 20 sq.ft./kg
<b>Drying Time</b>	:- Surface Dry 30 minute
<b>Finishing</b>	:- Mid Sheen
<b>Binder Type</b>	:- Cement and Polyme
<b>Packaging</b>	:- 25KG, 30KG

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# WATERPROOF PRIMER

# WATERPROOF PRIMER

# WATERPROOF PRIMER


# WATERPROOF PRIMER




# DAMP EXPERT

Hind Wallcare Damp Expert is an acrylic waterproof coating designed for application on both horizontal and vertical walls. It provides excellent crack-bridging and water-resistant properties, reinforcing the protection of Exterior surfaces

## PRODUCT FEATURES :



**CRACK  
BRIDGING ABILITY**



**EXCELLENT  
FLEXIBILITY**



**STRONG  
ADHESION**



**WATERPROOFING  
WARRANTY**



## SYSTEM INFORMATION :

<b>Color Range</b>	:- White
<b>Application Tools</b>	:- Brush, Roller, or Airless Spray
<b>Coverage</b>	:- 180-200 Per sq. ft/LT**
<b>Drying Time</b>	:- 4-6 Hours
<b>Finishing</b>	:- Mid Sheen
<b>Packaging</b>	:- 20LT


Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# DAMP EXPERT LAST LONGER

Hind Wallcare Damp Expert Last Longer is an elastomeric coating that provides excellent waterproofing properties, high durability, and resistance to water penetration for wall & terrace surfaces. The elastic cross-linking mechanism of the polymer along with the acrylic fibres gives additional reinforcement to the film.


## PRODUCT FEATURES :



**CRACK  
BRIDGING ABILITY**



**TEMPERATURE  
DECREASE**



**STRONG  
ADHESION**



**WATERPROOFING  
WARRANTY**



## SYSTEM INFORMATION :

<b>Color Range</b>	: -	White
<b>Application Tools</b>	: -	Brush, Roller, or Airless Spray
<b>Coverage</b>	: -	180-200 Per sq. ft/LT**
<b>Drying Time</b>	: -	4-6 Hours
<b>Finishing</b>	: -	Mid Sheen
<b>Packaging</b>	: -	20LT

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

RANGE OF STAINER  
RANGE OF STAINER  
RANGE OF STAINER  
RANGE OF STAINER  
RANGE OF STAINER



HINDWALLCARE'S  
**UNIVERSAL STAINER**

M.R.P	:	
Batch No.	:	
Mfg. Date	:	

HINDWALLCARE'S  
**UNIVERSAL STAINER**

M.R.P	:	
Batch No.	:	
Mfg. Date	:	

HINDWALLCARE'S  
**UNIVERSAL STAINER**

M.R.P	:	
Batch No.	:	
Mfg. Date	:	


# HINDWALLCARE'S UNIVERSAL STAINER

Hind wallcare Universal Stainer Add vibrant, lasting color to any paint Easy to mix, fade-resistant, and compatible with both water- and oil-based paints.

## PRODUCT FEATURES :



**CREATE  
ANY COLOUR**



**UNIFORM  
COLOURING**



**EASY TO  
MIX**



## SYSTEM INFORMATION :

<b>Color Range</b>	<b>:-</b> Multiple Colors
<b>Brand</b>	<b>:-</b> Hind Wallcare
<b>Packaging</b>	<b>:-</b> 50ML, 100ML

Note -

\*Information provided in this brochure is subject to change without notice. We do our best to ensure accuracy but recommend verifying details independently. The company is not liable for errors or omissions. Terms and conditions apply. Product images are for representation purposes only. Actual product may vary in appearance. We strive for accuracy but cannot guarantee exact color, texture, or features. Any accessories shown are for illustrative purposes and may not be included."

# OUR PRODUCTS



## DISTEMPER PAINT



## PRIMER



## EXTERIOR EMULSION

# OUR PRODUCTS



EMULSION



WALL PUTTY



TEXTURE



# OUR PRODUCTS



## WATERPROOFING SOLUTIONS



## STAINER



## OTHER PRODUCT



# Hind<sup>®</sup> Wallcare



"For more information, visit us online!

Scan the QR code below to explore our website."

**104, Hubtown Viva, Western Express Highway,  
Jogeshwari East, Mumbai - 400060**